B.Sc. Nursing Seventh Semester Examination October - 2026

Subject – Midwifery/ Obstetric & Gynaecology Nursing I & II

[Time : Three Hours] **[Maximum Marks: 75]**

Q. I Essay Type Questions-

1. **a.** Define Pregnancy Induced Hypertension. **(2)**
   b. List down the causes and clinical manifestations of severe Pregnancy Induced Hypertension. **(6)**
   c. Write the obstetrical and nursing management of Pregnancy Induced Hypertension. **(7)**
2. **a.** Define Caesarean Section. **(2)**
   b. Write the indications and contraindications of Caesarean Section. **(6)**
   c. Explain the pre-operative and post-operative nursing care of Caesarean Section. **(7)**

Q. II Short Answer Questions (Any 5) **(5 × 5 = 25 Marks)**

a. Hydramnios **b.** Induction of labour **c.** Resuscitation of newborn
d. Abnormal uterine bleeding **e.** Infertility

Q. III Very Short Answer Questions **(2 × 4 = 8 Marks)**

a. Menopause **b.** Endometriosis **c.** Kangaroo mother care **d.** Uterine subinvolution

Q. IV Multiple Choice Questions **(1 × 7 = 7 Marks)**

1. Fibroid uterus is more common in:

a. Nulliparous Women b. Menopausal Women c. Multiparity women d. After 35 to 50 years of age

2. The most common cause of postpartum haemorrhage is:

a. Retain placenta b. Cervical laceration c. Uterine atony

3. The definition of a third-degree tear during child birth:

a. Injury to perineal muscles only b. Laceration involving the anal sphincter
c. Tear extending through the rectal mucosa d. Laceration of vaginal mucosa

4. The medication commonly used to promote fetal lung maturity in impending preterm labour:

a. Terbutaline b. Magnesium sulphate c. Betamethasone d. Oxytocin

5. The normal duration of gestation?

a. 250 days b. 260 days c. 270 days d. 280 days

6. At what gestational age is a detailed fetal anomaly scan typically performed?

a. 10–14 weeks b. 15–17 weeks c. 18–22 weeks d. 23–26 weeks

7. What is the largest transverse diameter of the fetal skull?

a. Subparietal – supraparietal – 7.5 cm b. Biparietal – 9.4 - 9.5 cm
c. Bitemporal – 8 cm d. Bimastoid – 7 cm

Q. V True / False **(1 × 5 = 5 Marks)**

a. The biparietal diameter (BPD) is used to estimate gestational age in the second trimester.

b. Placenta previa is characterized by painless bright red vaginal bleeding in the third trimester.

c. The McRoberts maneuver is used to manage shoulder dystocia.

d. Lochia alba is the vaginal discharge observed in the first 1–4 days.

e. Two umbilical arteries deliver deoxygenated blood to the placenta.